

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3096	((insert\$4 add\$4 includ\$4 placing placed embedded) near3 order) with frame	US-PGPUB; USPAT	OR	ON	2005/04/09 09:58
L2	19308400	@ad<="20000616"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 09:56
L3	71672	packet with (communicat\$4 transmit\$4 sending sent select\$4)) and ((communicat\$4 transmit\$4 sending sent select\$4)	US-PGPUB; USPAT	OR	ON	2005/04/09 09:57
L4	158	1 and 2 and 3	US-PGPUB; USPAT	OR	ON	2005/04/09 09:58
L5	608	((insert\$4 add\$4 includ\$4 placing placed embedded) near3 (order near3 (information data priority number))) with frame	US-PGPUB; USPAT	OR	ON	2005/04/09 10:09
L6	65	2 and 3 and 5	US-PGPUB; USPAT	OR	ON	2005/04/09 10:05
L7	38	6 not (in adj order)	US-PGPUB; USPAT	OR	ON	2005/04/09 10:03
L8	7	((insert\$4 add\$4 includ\$4 placing placed embedded) near3 (order near2 (information data priority number))) near3 frame near3 (transmitting transmitted sending sent send)	US-PGPUB; USPAT	OR	ON	2005/04/09 10:15
L9	5	2 and 8	US-PGPUB; USPAT	OR	ON	2005/04/09 10:10
L10	5	2 and 8	US-PGPUB; USPAT	OR	ON	2005/04/09 10:13
L11	268	((insert\$4 add\$4) near2 (priority order)) with ((transmit\$3 sending sent send) near3 (packet frame))	US-PGPUB; USPAT	OR	ON	2005/04/09 10:16
L12	105	11 and 2	US-PGPUB; USPAT	OR	ON	2005/04/09 10:46
L13	1	(US-6609251-\$).did.	USPAT	OR	OFF	2005/04/09 10:46
L14	0	13 and ((add\$3 insert\$4) near3 "next")	US-PGPUB; USPAT	OR	ON	2005/04/09 10:47
L15	1	13 and (add\$3 insert\$4)	US-PGPUB; USPAT	OR	ON	2005/04/09 10:48
L16	1	13 and ((add\$3 insert\$4) with (frame packet))	US-PGPUB; USPAT	OR	ON	2005/04/09 10:48
S1	0	line adj agregat\$4 adj communicat\$4	US-PGPUB; USPAT	OR	ON	2004/08/08 14:46

S2	0	line adj aggregat\$4	US-PGPUB; USPAT	OR	ON	2004/08/08 14:46
S3	185	line adj aggregat\$4	US-PGPUB; USPAT	OR	ON	2004/08/08 14:46
S4	164	(line adj aggregat\$4) and @ad<="20000616"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 09:56
S5	65	(frame near2 order) with guarantee\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 14:46
S6	0	((line adj aggregat\$4) and @ad<="20000616") and ((frame near2 order) with guarantee\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:23
S7	101648	(frame with order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 14:46
S8	316	(frame with order) with guarantee\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 14:46
S9	211	@ad<="20000616" and ((frame with order) with guarantee\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 14:46
S10	0	(line adj aggregat\$4) and (@ad<="20000616" and ((frame with order) with guarantee\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 14:46
S11	1	line adj aggregat\$4 adj communicat\$4	US-PGPUB; USPAT	OR	ON	2004/08/08 14:46
S12	269	line adj aggregat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 14:46
S13	22137	(frame near2 order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 14:47

S14	1	((line adj aggregat\$4) and @ad<="20000616") and ((frame near2 order))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 14:47
S15	158283	communicat\$4 with line	US-PGPUB; USPAT	OR	ON	2004/08/08 14:47
S16	549494	(transmit\$4 send\$3 receiv\$3) with (data frames)	US-PGPUB; USPAT	OR	ON	2004/08/08 14:48
S17	176263	compar\$3 with (data frame)	US-PGPUB; USPAT	OR	ON	2004/08/08 14:48
S18	1425	(select\$3 transmit\$3 send\$3 receiv\$3) with line with frame with (lowest least smallest min\$5)	US-PGPUB; USPAT	OR	ON	2004/08/08 15:44
S19	19546	((communicat\$4 with line) and ((transmit\$4 send\$3 receiv\$3) with (data frames)) and (compar\$3 with (data frame)))	US-PGPUB; USPAT	OR	ON	2004/08/08 14:50
S20	102	((select\$3 transmit\$3 send\$3 receiv\$3) with line with frame with (lowest least smallest min\$5)) and ((communicat\$4 with line) and ((transmit\$4 send\$3 receiv\$3) with (data frames)) and (compar\$3 with (data frame))) and @ad<="20000616"	US-PGPUB; USPAT	OR	ON	2004/08/08 14:55
S21	176300	stor\$3 with line	US-PGPUB; USPAT	OR	ON	2004/08/08 14:53
S22	76	((select\$3 transmit\$3 send\$3 receiv\$3) with line with frame with (lowest least smallest min\$5)) and ((communicat\$4 with line) and ((transmit\$4 send\$3 receiv\$3) with (data frames)) and (compar\$3 with (data frame))) and @ad<="20000616") and (stor\$3 with line)	US-PGPUB; USPAT	OR	ON	2004/08/08 14:54
S23	43413	((transmit\$4 send\$3 receiv\$3) with (data frames)) same (compar\$3 with (data frame))	US-PGPUB; USPAT	OR	ON	2004/08/08 14:57
S24	80	((select\$3 transmit\$3 send\$3 receiv\$3) with line with frame with (lowest least smallest min\$5)) and ((communicat\$4 with line) and ((transmit\$4 send\$3 receiv\$3) with (data frames)) and (compar\$3 with (data frame))) and @ad<="20000616") and (((transmit\$4 send\$3 receiv\$3) with (data frames)) same (compar\$3 with (data frame)))	US-PGPUB; USPAT	OR	ON	2004/08/08 14:59

S25	75329	compar\$3 with order	US-PGPUB; USPAT	OR	ON	2004/08/08 15:40
S26	6	(((((select\$3 transmit\$3 send\$3 receiv\$3) with line with frame with (lowest least smallest min\$5)) and ((communicat\$4 with line) and ((transmit\$4 send\$3 receiv\$3) with (data frames)) and (compar\$3 with (data frame))) and @ad<="20000616") and (((transmit\$4 send\$3 receiv\$3) with (data frames)) same (compar\$3 with (data frame)))) and (compar\$3 with order)	US-PGPUB; USPAT	OR	ON	2004/08/08 15:08
S27	328198	(compar\$3 with order) (check\$3 with order) (order with (unchanged "same"))	US-PGPUB; USPAT	OR	ON	2004/08/08 15:08
S28	20	(((((select\$3 transmit\$3 send\$3 receiv\$3) with line with frame with (lowest least smallest min\$5)) and ((communicat\$4 with line) and ((transmit\$4 send\$3 receiv\$3) with (data frames)) and (compar\$3 with (data frame))) and @ad<="20000616") and (((transmit\$4 send\$3 receiv\$3) with (data frames)) same (compar\$3 with (data frame)))) and ((compar\$3 with order) (check\$3 with order) (order with (unchanged "same"))))	US-PGPUB; USPAT	OR	ON	2004/08/08 15:08
S29	3	(US-5550827-\$ or US-5513172-\$ or US-6381239-\$).did.	USPAT	OR	OFF	2004/08/08 15:49
S30	3	((compar\$3 with order) (check\$3 with order) (order with (unchanged "same"))) and ((US-5550827-\$ or US-5513172-\$ or US-6381239-\$).did.)	US-PGPUB; USPAT	OR	ON	2004/08/08 15:40
S31	3	((select\$3 transmit\$3 send\$3 receiv\$3) with line with frame with (lowest least smallest min\$5)) and ((US-5550827-\$ or US-5513172-\$ or US-6381239-\$).did.)	US-PGPUB; USPAT	OR	ON	2004/08/08 15:44
S32	0	((US-5550827-\$ or US-5513172-\$ or US-6381239-\$).did.) and (updat\$3 with (memory storage))	USPAT	OR	OFF	2004/08/08 15:46
S33	1	(US-5550827-\$).did.	USPAT	OR	OFF	2004/08/08 15:50
S34	1	(compar\$3 with (data frame)) and ((US-5550827-\$).did.)	USPAT	OR	ON	2004/08/08 15:49
S35	1	(US-5550827-\$).did. and (receiv\$3 with packet)	USPAT	OR	ON	2004/08/08 18:19

S36	0	(line adj aggregat\$4) and (count\$3 with (frames packet) with (speed bandwidth))	USPAT	OR	ON	2004/08/08 18:20
S37	849	count\$3 with (frames packet) with (speed bandwidth)	USPAT	OR	ON	2004/08/08 18:21
S38	1516	count\$3 with (frames packet) with (speed bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 18:25
S39	1093	(count\$3 with (frames packet) with (speed bandwidth)) and @ad<="20000616"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 18:22
S40	807	(counting count) with (frames packet) with (speed bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 18:32
S41	553	@ad<="20000616" and ((counting count) with (frames packet) with (speed bandwidth))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 18:33
S42	159	(@ad<="20000616" and ((counting count) with (frames packet) with (speed bandwidth))) and 37\$/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 18:29
S43	223	(@ad<="20000616" and ((counting count) with (frames packet) with (speed bandwidth))) and (7\$/\$.ccls. 37\$/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 18:29
S44	25	(counting count) with (frames packet) with (speed bandwidth) with (memory stor\$4) with process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 18:32
S45	18	@ad<="20000616" and ((counting count) with (frames packet) with (speed bandwidth) with (memory stor\$4) with process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 18:33
S46	1006	(count\$3) with (frames packets bytes) with (sen\$5 receiv\$3 trasmit\$4) with line	USPAT	OR	ON	2004/08/19 18:50

S47	19273540	@ad<="20000616"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 18:00
S48	986	((count\$3) with (frames packets bytes) with (sen\$5 receiv\$3 trasmit\$4) with line) and @ad<="20000616"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 18:00
S49	421	((count\$3) with (frames packets bytes) with (sen\$5 receiv\$3 trasmit\$4) with line) same (stor\$5 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 18:01
S50	416	@ad<="20000616" and (((count\$3) with (frames packets bytes) with (sen\$5 receiv\$3 trasmit\$4) with line) same (stor\$5 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 18:01
S51	185	((@ad<="20000616" and (((count\$3) with (frames packets bytes) with (sen\$5 receiv\$3 trasmit\$4) with line) same (stor\$5 memory))) and ((insert\$4 add\$3) with (frame packet byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 18:02
S52	95	((@ad<="20000616" and (((count\$3) with (frames packets bytes) with (sen\$5 receiv\$3 trasmit\$4) with line) same (stor\$5 memory))) and ((insert\$4 add\$3) with (frame packet byte) with (counts number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 18:02
S53	95	((@ad<="20000616" and (((count\$3) with (frames packets bytes) with (sen\$5 receiv\$3 trasmit\$4) with line) same (stor\$5 memory))) and ((insert\$4 add\$3) with (frame packet byte) with (counts number))) and @ad<="20000616"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 18:02
S54	2413	((select\$3 determin\$3) near2 line) with (frames packets)	USPAT	OR	ON	2004/08/19 19:12
S55	198	((select\$3 determin\$3) near2 line) with (frames packets) with (small\$3 low\$3 minim\$5 optim\$6)	USPAT	OR	ON	2004/08/19 18:52
S56	186	((select\$3 determin\$3) near2 line) with (frames packets) with (small\$3 low\$3 minim\$5 optim\$6)) and @ad<="20000616"	USPAT	OR	ON	2004/08/19 18:53

S57	6	((select\$3 determin\$3) adj2 line) with (frames packets) with bandwidth	USPAT	OR	ON	2004/08/19 19:12
S58	6	@ad<="20000616" and (((select\$3 determin\$3) adj2 line) with (frames packets) with bandwidth)	USPAT	OR	ON	2004/08/19 19:13
S75	1	(US-6768738-\$).did.	USPAT	OR	OFF	2005/04/08 16:57
S76	1	S75 and ((monitor\$3 track\$3) with packet)	US-PGPUB; USPAT	OR	ON	2005/04/08 16:59
S77	1	S75 and ((monitor\$3 track\$3) with packet) and count\$3	US-PGPUB; USPAT	OR	ON	2005/04/08 16:59
S78	1	S75 and ((count\$3) with packet)	US-PGPUB; USPAT	OR	ON	2005/04/08 17:01
S79	1497	count\$3 with number with packet with (communicat\$4 transmit\$4 sending sent select\$4)	US-PGPUB; USPAT	OR	ON	2005/04/08 17:23
S80	19308400	@ad<="20000616"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:23
S81	103	count\$3 with number with frame with packet with (communicat\$4 transmit\$4 sending sent select\$4)	US-PGPUB; USPAT	OR	ON	2005/04/08 17:24
S82	66	S80 and S81	US-PGPUB; USPAT	OR	ON	2005/04/08 17:23
S83	24	count\$3 with (number adj3 frame) with packet with (communicat\$4 transmit\$4 sending sent select\$4)	US-PGPUB; USPAT	OR	ON	2005/04/08 17:25
S84	15	S80 and S83	US-PGPUB; USPAT	OR	ON	2005/04/08 17:25
S85	4	count\$3 with (number adj3 frame) with packet with (communicat\$4 transmit\$4 sending sent select\$4) with (small\$4 least lowest minimum minimal optimal optimized)	US-PGPUB; USPAT	OR	ON	2005/04/08 17:27
S86	1	S80 and S85	US-PGPUB; USPAT	OR	ON	2005/04/08 17:26
S87	15	(count\$3 with (number adj3 frame) with packet with (communicat\$4 transmit\$4 sending sent select\$4)) and ((communicat\$4 transmit\$4 sending sent select\$4) with (small\$4 least lowest minimum minimal optimal optimized))	US-PGPUB; USPAT	OR	ON	2005/04/09 09:56

S88	9	S87 and S80	US-PGPUB; USPAT	OR	ON	2005/04/08 17:28
S89	7	(count\$3 with (number adj3 frame) with packet with (communicat\$4 transmit\$4 sending sent select\$4)) and ((communicat\$4 transmit\$4 sending sent select\$4) with (small\$4 (the adj least) lowest minimum minimal optimal optimized))	US-PGPUB; USPAT	OR	ON	2005/04/08 17:33
S90	4	S89 and S80	US-PGPUB; USPAT	OR	ON	2005/04/08 17:29
S91	1	(count\$3 with ((number amount) adj3 frame) with packet with (communicat\$4 transmit\$4 sending sent select\$4)) and ((communicat\$4 transmit\$4 sending sent select\$4) with (smallest (the adj least) lowest minimum minimal optimal optimized) with (number amount total load supply aggregate cost))	US-PGPUB; USPAT	OR	ON	2005/04/08 17:35
S92	1	S91 and S80	US-PGPUB; USPAT	OR	ON	2005/04/08 17:35
S93	1	(count\$3 with ((number amount total load supply aggregate cost) adj3 frame) with packet with (communicat\$4 transmit\$4 sending sent select\$4)) and ((communicat\$4 transmit\$4 sending sent select\$4) with (smallest (the adj least) lowest minimum minimal optimal optimized) with (number amount total load supply aggregate cost))	US-PGPUB; USPAT	OR	ON	2005/04/09 09:54